



Bid Number/बोली क्रमांक (बिड संख्या): GEM/2024/B/4946371 Dated/दिनांक : 17-05-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण			
Bid End Date/Time/बिड बंद होने की तारीख/समय	27-05-2024 11:00:00		
Bid Opening Date/Time/बिंड खुलने की तारीख/समय	27-05-2024 11:30:00		
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)		
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Science And Technology		
Department Name/विभाग का नाम	Department Of Scientific And Industrial Research (dsir)		
Organisation Name/संगठन का नाम	Council Of Scientific And Industrial Research (csir)		
Office Name/कार्यालय का नाम	Central Drug Research Institute		
Total Quantity/कुल मात्रा	4		
ltem Category/मद केटेगरी	Server (Q2)		
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	12 Lakh (s)		
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)		
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes		
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes		
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer		
Past Performance/विगत प्रदर्शन	50 %		
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No		
	1		

Bid Details/बिंड विवरण		
Type of Bid/बिंड का प्रकार	Two Packet Bid	
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days	
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No	
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation	

EMD Detail/ईएमडी विवरण

ш			1
ш			ı
Ш	Required/आवश्यकता	No	ı
Ш	required/silatary	INO	ı
			1

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%)/ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	38

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी:

Director

Central Drug Research Institute, Department of Scientific and Industrial Research (DSIR), Council of Scientific and Industrial Research (CSIR), Ministry of Science and Technology (Director, Csir-cdri, Lucknow)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes	
--	-----	--

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

- 1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 5. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

6. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have guoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F. 1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. 7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Server (4 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Bis Required	Yes
1 - 10 110 4 4 11 10 11	

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का Bid Requirement/बिंड के लिए आवश्यक (Al Values)/अनुमत मूल्य			
Processor	Processor Make	Intel		
	Number of Cores per Processor	16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 64, 48, 44, 52, 56, 60, 84, 96, 112, 128 Or higher		
		2.9, 3, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4, 2.95, 3.25, 3.55, 3.85, 4.05, 4.1 Or higher		
Chassis	Size (RU)	2		
Motherboard	Maximum number of Sockets available on Server	2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher		
	Maximum number of Sockets populated with Processors available on Server	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher		
Co Processor / GPU	Availability of Co Processor /GPU	Yes, No Or higher		
Memory	Type of RAM	DDR4 SDRAM with ECC, DDR4 NVRAM (Persistent Memory)		
SSD Storage	Type of Interface for SSD	SATA, SAS		
HDD Storage	Type of Interface for Hard Disk Drive SATA, SAS			
RAID	No of RAID Controller Ports	2, 3, 4, 5, 6, 7, 8, 0 Or higher		
Speed of RAID Controller Ports (Gbps)		6, 12 Or higher		
Ports & Interfaces	Number of Networking Interface Cards (LAN)	2, 3, 4, 5, 6, 7, 8 Or higher		
	Total Number of Ethernet Ports required in Server	4x1G		
	Number of Single port FC HBA card	0, 1, 2, 3, 4 Or higher		
	Number of Dual port FC HBA card	1, 2, 3, 4 Or higher		
	Number of Quad port FC HBA card	0, 1, 2, 3, 4 Or higher		
FC HBA Speed (Gbps)		16, 32 Or higher		
	Number of Converged Network Adaptor (CNA)	0, 1, 2, 3, 4 Or higher		

	.	2112 1 1222 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
Specification	Specification Name/विशिष्टि का	Bid Requirement/बिड के लिए आवश्यक (Allowed	
	नाम	Values)/अनुमत मूल्य	
Number of Ports per CN card		Dual Port, Quad Port, NA Or higher	
	CNA Port Speed (Gbps)	10, 25, 40, 50, 100, 200, 0 Or higher	
	Length of LC-LC Cable per SFP+ Port (meter)	5, 10, 15, 0 Or higher	
	Length of LC-LC Cable per HBA Port (meter)	5, 10, 15, 0 Or higher	
	Length of LC-LC Cable per CNA Port (meter)	5, 10, 15, 0 Or higher	
Certifications	Certifications/Compliance (OS)	Windows, Red Hat Linux, Ubuntu	
Features Management Features-1		Remoter power On/ Shutdown of server,, Remote Management of Server over LAN & WAN with SSL encryption through gigabit management port,, Should have virtual Media support with all required licenses., Remote KVM, Server Health Logging, Out of Band Management	
	Security Features-1	Secure Boot(Firmware and Bios Level Security), Provision to lock the system on breach, Hardware root of trust/Dual Root of Trust, Server should provide policy based security, Server should provide server intrusion detection,, "Malicious Code Free design" (to be certified by OEM)	
Generic	Power Supply Efficiency	Titanium, Bronze Or higher	
Warranty	On Site OEM Warranty (Year)	3, 4, 5, 7 Or higher	

Additional Specification Parameters - Server (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Specification	The evaluation shall be done on the basis of attached text based specifications in the scope of work. Bidder must comply with the specification given in the scope of work.

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./ब्र सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanchan Bala	226031,CSIR-Central Drug Research Institute Sector 10, Jankipuram Extension, Sitapur Road,Lucknow 226031, Uttar Pradesh, INDIA	4	45

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

3. Warranty

Warranty period of the supplied products shall be 3 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

4. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

5. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

6. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

7. Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

8. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

9. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

10. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

11. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

12. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

S.N.	Parameter	Specifications	Compli ance YES/N O	If NO, deviatio ns to be speci fied
1	Rack Height	2U with 16x 2.5" disk Chassis		
2	CPU Support	Must support 2 CPU's		
3	Chipset	Intel or better		
4	Processors	2* 16 Cores with clock speed of 2.9 GHz or better and with 24 MB cache or higher		
5	Benchmarks	SPEC int_rate_base 2017 must b e 260 or better SPEC fp_rate_peak 2017 must be 290 or better The benchmarks must be availa ble on SPEC.ORG before evaluati on.		
6	Make in India	Make in India Local Content % sh ould be more 21%		
7	Memory	64GB RAM 3200 MT/s, Should ha ve min. 32 DIMM slots		
		2x 960GB SSD		

8	Hard Drives/SS Ds	3x 2.4TB 10K SAS HDD	
		(All the drives should be hot plug gable)	
9	RAID Card	RAID Controller Card supports R AID 0, 1, 5, 10 with 8 GB Battery Backed Cache	
10	PCI Slots (I/O)	Server Should support upto 8x P Cle I/O Slots with atleast 2 x PCle x16 Slots.	
11	Ethernet Ports	2 x 1GbE Base-T Ethernet Ports , 1x Dual Port 10/25 GbE SFP+ NI C Cards, 10G optics should be in cluded along with card	
12	Fibre Channel	1x Dual Port 16Gb Fibre Channel HBA	
13	Redundant Po wer Supply	Dual, Hot-plug, Redundant Powe r Supply	
14	Redundant Fa ns	Cooling Fans should be redundan t and hot pluggable	
15	Management i ntegration	Support for integration with Micr osoft System Center, VMware vC enter, BMC Software	
16	Power & temp erature	Real-time power meter, graphing , thresholds, alerts & capping wit h historical power counters.	
		Temperature monitoring & grap hing	
17	Pre-failure ale rt	Should provide predictive failure monitoring & proactive alerts of actual or impending component failure for fan, power supply, me mory, CPU, RAID, NIC, HDD	
		Real-time out-of-band hardwar e performance monitoring & aler ting	
		• Agent-free monitoring, driver u pdates & configuration, power m onitoring & capping, RAID	
18	Configuration & managemen t	management, external storage management, monitoring of FC, HBA & CNA & system health	
		Out-of-band hardware & firmw are inventory	
		Zero-touch auto configuration to auto deploy a baseline server configuration profile	

19	Management (continued)	 Automated hardware configuration and Operating System deployment to multiple servers Zero-touch repository manager and self-updating firmware system Virtual IO management / stateless computing Support for Redfish API for simple and secure management of scalable platform hardware Server management software should support upto 8000 devices in a single instance. 	
20	Display panel	Should display system ID, status information and system error err or code followed by descriptive t ext. Display background should light up in different colours durin g normal system operation & err or conditions.	
21	HTML5 suppor t	HTML5 support for virtual consol e & virtual media without using J ava or ActiveX plugins	
22	Server security	Should have a cyber-resilient arc hitecture for a hardened server design for protection, detection & recovery from cyber attacks	
		Should protect against firmware which executes before the OS bo ots	
		Should provide effective protecti on, reliable detection & rapid rec overy using:	
		- Silicon-based Hardware Root of Trust	
		- Signed firmware updates	
		- Secure default passwords	
		- Configuration and firmware drif t detection	
		- Persistent event logging includi ng user activity	
		- Secure alerting	
		- Automatic BIOS recovery	
		- Rapid OS recovery	
		- System erase	

		Configuration upgrades should be only with cryptographically signed firmware and software	
		Should provide system lockdown feature to prevent change (or "d rift") in system firmware image(s) & prevent malicious modification of server firmware.	
		Should maintain repository for fir mware and should be able to roll back, if required.	
23	Intrusion alert	Intrusion alert in case chassis co ver being opened	
24	OS and Virtuali zation Suppor t	Canonical Ubuntu Server LTS, Cit rix Hypervisor, Microsoft Windo ws Server with Hyper-V, Red Hat Enterprise Linux, SUSE Linux Ent erprise Server, VMware ESXi	
25	Regulatory Ce rtificate	FCC Class A, CE & ROHS Certifica tion	
26	Warranty	3 years On-site comprehensive w arranty Next Business Day with 2 4x7x365 Remote hardware supp ort. 3-year product warranty and specification should reflect in the support web site of the OEM us ing machine serial no. URL must be submitted	
		Wherever Authorized bidders are submitting the bid, Tender Speci fic Manufacturer's Authorization Form (MAF) with date and time and OEM details such as name, d esignation, address, e-mail Id re quired to be furnished along with the bid. It is mandatory to submit MAF for each item quoted. The institute may verify the same with the issuer of the MAF at any point during the Bid Evaluation.	
		Country Of Origin Should be Indi a, Local content declaration req uired on Manufacturer letter hea d with bid no.	
27	ATC	Bidder should have its own servi ce center at the consignee locati on, to enable prompt services to the user.	
		ISO 9001: The bidder or the OEM of the offered products must hav e ISO 9001 certification	

The Bidder / OEM must have its o wn dedicated toll Free Telephon e No. for service support.	
All datasheets must be attached for quoted product.	
Service/ Support escalation matri x must be enclosed	

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for attached categories, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---