



Bid Number/बोली क्रमांक (बिंड संख्या): GEM/2023/B/4231186 Dated/दिनांक : 05-12-2023

## Bid Document/ बिड दस्तावेज़

| Bid Details/बिड विवरण  |   |  |
|--|---|--|
| Bid End Date/Time/बिड बंद होने की तारीख/समय  | 26-12-2023 16:00:00   |  |
| Bid Opening Date/Time/बिड खुलने की तारीख/समय   | 26-12-2023 16:30:00   |  |
| Bid Offer Validity (From End Date)/बिड पेशकश<br>वैधता (बंद होने की तारीख से)   | 120 (Days)  |  |
| Ministry/State Name/मंत्रालय/राज्य का नाम  | Ministry Of Science And Technology  |  |
| Department Name/विभाग का नाम   | Department Of Scientific And Industrial Research (dsir)   |  |
| Organisation Name/संगठन का नाम   | Council Of Scientific And Industrial Research (csir)  |  |
| Office Name/कार्यालय का नाम  | Central Drug Research Institute   |  |
| Total Quantity/कुल मात्रा  | 5   |  |
| Item Category/मद केटेगरी   | Stability Chamber (Q3)  |  |
| Years of Past Experience Required for<br>same/similar service/उन्हीं/समान सेवाओं के लिए<br>अपेक्षित विगत अनुभव के वर्ष                 | 3 Year (s)  |  |
| MSE Exemption for Years Of<br>Experience/अनुभव के वर्षों से एमएसई छूट/ and<br>Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है          | Yes   |  |
| Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है   |   |  |
| Document required from seller/विक्रेता से मांगे<br>गए दस्तावेज़  | Experience Criteria, Past Performance, OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |  |
| Past Performance/विगत प्रदर्शन   | 50 %  |  |
| Bid to RA enabled/बिंड से रिवर्स नीलामी सक्रिय किया  | No  |  |
| Type of Bid/बिंड का प्रकार   | Two Packet Bid  |  |
| Primary product category   | Stability Chamber   |  |
| Time allowed for Technical Clarifications<br>during technical evaluation/तकनीकी मूल्यांकन के<br>दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय | 5 Days  |  |

| Bid Details/बिड विवरण  |                             |
|--|-----------------------------|
| Inspection Required (By Empanelled Inspection Authority / Agencies pre- registered with GeM)  No |                             |
| Evaluation Method/मूल्यांकन पद्धति   | Total value wise evaluation |

### EMD Detail/ईएमडी विवरण

| Required/आवश्यकता | No |
|-------------------|----|
|-------------------|----|

## ePBG Detail/ईपीबीजी विवरण

| Advisory Bank/एडवाइजरी बैंक   | State Bank of India |
|---|---------------------|
| ePBG Percentage(%)/ईपीबीजी प्रतिशत (%)                                  | 5.00                |
| Duration of ePBG required (Months)/ईपीबीजी की<br>अपेक्षित अवधि (महीने). | 62                  |

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

## Beneficiary/लाभार्थी :

DIRECTOR

Central Drug Research Institute, Department of Scientific and Industrial Research (DSIR), Council of Scientific and Industrial Research (CSIR), Ministry of Science and Technology (The Director, Cdri, Lucknow)

#### Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

### MII Purchase Preference/एमआईआई खरीद वरीयता

| MII Purchase Preference/एमआईआई खरीद वरीयता | Yes |
|--|-----|
|--|-----|

#### MSE Purchase Preference/एमएसई खरीद वरीयता

| MSE Purchase Preference/एमएसई खरीद वरीयता | Yes |
|---|-----|
|---|-----|

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder

is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

- 2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
- 5. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. 6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product

## **Stability Chamber (3 pieces)**

having highest bid value should meet this criterion.

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

| Specification | Specification Name/विशिष्टि का | Bid Requirement/बिंड के लिए आवश्यक (Allowed |
|---------------|--------------------------------|---|
| Specification | नाम                            | Values)/अनुमत मूल्य                         |
|               |                                |   |

| Specification       | Specification Name/विशिष्टि का<br>नाम | Bid Requirement/बिंड के लिए आवश्यक (Allowed<br>Values)/अनुमत मूल्य |  |
|---------------------|---------------------------------------|--|--|
| Technical Parameter | Capacity                              | 200.0 (liter)  |  |
|                     | Outer Material                        | Mild Steel Powder Coated   |  |
|                     | Inner Material                        | AISI SS 304  |  |
| Generic             | Warranty                              | 1.0 (year)   |  |
|                     | Features                              | accredited labs  |  |

## Additional Specification Parameters - Stability Chamber ( 3 pieces )

| Specification Parameter<br>Name | Bid Requirement (Allowed Values)   |  |
|---------------------------------|--|--|
| Specification -A                | Bidder must comply the specifications-A attached in scope of supply and Text Based ATC. The Technical evaluation shall be done on the basis of text based ATC. |  |
| Past Experience                 | 3 years, Bidders must submit certificate for at least 2 successful installation  |  |
| Past Experience                 | 3 years, Bidders must submit certificate for at least 2 successful installation  |  |

<sup>\*</sup> Bidders offering must also comply with the additional specification parameters mentioned above.

## Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र.<br>सं. | Consignee<br>Reporting/Officer/<br>परेषिती/रिपोर्टिंग<br>अधिकारी | Address/पता  | Quantity/मात्रा | Delivery Days/डिलीवरी के<br>दिन |
|-------------------|--|--|-----------------|---------------------------------|
| 1                 | Kanchan Bala   | 226031,CSIR-Central Drug<br>Research Institute Sector 10,<br>Jankipuram Extension, Sitapur<br>Road,Lucknow 226031, Uttar<br>Pradesh, INDIA | 3               | 90                              |

## **Stability Chamber (2 pieces)**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

## Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

| Specification       | Specification Name/विशिष्टि का<br>नाम | Bid Requirement/बिंड के लिए आवश्यक (Allowed<br>Values)/अनुमत मूल्य |  |
|---------------------|---------------------------------------|--|--|
| Technical Parameter | Capacity                              | 100.0 (liter)  |  |
|                     | Outer Material                        | Powder coated GI sheet   |  |
|                     | Inner Material                        | AISI SS 304  |  |
| Generic             | Warranty                              | 1.0 (year)   |  |
|                     | Features                              | accredited labs  |  |

### Additional Specification Parameters - Stability Chamber ( 2 pieces )

| Specification Parameter<br>Name | Bid Requirement (Allowed Values)   |  |
|---------------------------------|--|--|
| Specification-B                 | Bidder must comply the specifications-B attached in scope of supply and Text Based ATC. The Technical evaluation shall be done on the basis of text based ATC. |  |
| Past Experience                 | 3 years, Bidders must submit certificate for at least 2 successful installation  |  |

<sup>\*</sup> Bidders offering must also comply with the additional specification parameters mentioned above.

## Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र.<br>सं. | Consignee<br>Reporting/Officer/<br>परेषिती/रिपोर्टिंग<br>अधिकारी | Address/पता  | Quantity/मात्रा | Delivery Days/डिलीवरी के<br>दिन |
|-------------------|--|--|-----------------|---------------------------------|
| 1                 | Kanchan Bala   | 226031,CSIR-Central Drug<br>Research Institute Sector 10,<br>Jankipuram Extension, Sitapur<br>Road,Lucknow 226031, Uttar<br>Pradesh, INDIA | 2               | 90                              |

## Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

## 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

## 2. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

#### 3. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

#### 4. Generic

**Manufacturer Authorization:** Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

#### 5. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

#### 6. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

The Director, CSIR-CDRI payable at Lucknow

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

#### 7. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

The Director, CSIr-CDRI Lucknow

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

## 8. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

The Director CDRI Account No. 30269374557 IFSC Code SBIN0010174 Bank Name State Bank of India Branch address CDRI Lucknow

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

## 9. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

## A- Specifications of Stability Chamber (3 Number)

| S. No. | Configuration                          | Description  |
|--------|--|--|
| 1      | Specification                          | The Peltier technology-based stability chamber designed per ICH guidelines to meet WHO and USFDA requirements for stability testing of active pharmaceutical ingredients and finished pharmaceutical products. |
| 2      | Capacity                               | 200 litres or higher with the provision of 3 racks. Hei<br>ght 700 mm or higher, width 600 mm or higher, dep<br>th 450 mm or higher.   |
| 3      | Control system                         | PID/PLC-based control system.  |
| 4      | Temperature r<br>ange and accu<br>racy | 5 to 70 °C ± 0.2°C or better.  |
| 5      | Humidity RH% and accuracy              | 10 to 80% ± 0.5 % or better.   |
| 6      | Sensor                                 | Digital sensor for the detection of temperature and humidity   |
| 7      | Display                                | LED/LCD or High-definition TFT color display.  |
| 8      | Chamber hous ing                       | The inner chamber is made of SS 316 grade, 18-gau ge thickness or higher, and the outside is made of S S 304 grade, 18-gauge thickness or higher.  |
| 9      | Racks & trays                          | Racks & trays made of SS 316 grade with adjustable height for easy operation and 3 or more trays to be provided for each of the equipment.   |
| 10     | Door                                   | Single-door made of stainless steel with a "Viewing Window" (of Toughened Glass) for easy inspection & viewing of the samples without disturbing the set environmental conditions of the chamber.              |
| 11     | Audio visual al arm system             | Temperature & humidity deviation, power failure, a nd door open  |
| 12     | Safety controll<br>er                  | Safety controller sensor to cut off the supply in case of overshoot and undershoot of temperature and hu midity with an audio-visual alarm   |
| 13     | Communicatio<br>n                      | Wireless/LAN/USB   |

| 14 | Data logger   | Data logger for temperature/humidity recording wit h sensor, and printer interface. |
|----|---|---|
| 15 | Software  | 21 CFR part 11 compliance   |
| 16 | Branded computer (HP, Dell, or Lenovo) with computer core i7, 2.5 GHz or higher, 8 GB or higher RAM, SSD with 512 GB hard disk or higher, Operating System Windows 13 with genuine latest MS Office. Wireless mouse and keyboard, Monitor: Full HD 21 inch or high er. 4 TB or higher external hard disk for data backup. |   |
|    | <ul> <li>Laser printer with a print speed of 30 PPM or higher and automatic duplex printing capa<br/>bility is required.</li> </ul>   |   |
| 17 | Certification: US FDA   |   |
|    | · Calibration Certificate of the stability instrument would be provided.  |   |
|    | · IQ, OQ, PQ, and uals to be provide  | certificates with standard operation procedures and maintenance man ed.             |
| 18 | PQ includes 2 ho  | ours cycle at the below-set points:   |
|    | (i) 25°C - 60% R  | H (ii) 30°C - 65% RH (iii) 40°C - 75% RH  |
| 19 | Onsite training on handling and operation of the instrument would be provided at the time of installation.  |   |
| 20 | Complete equipment should cover a warranty of 5 years.  |   |

# в- Specifications of Photostability Chamber (2 Number)

| S. No. | Configuration  | Description  |
|--------|----------------|--|
| 1      | Specification  | The photostability chamber was designed according to ICH guidelines to meet US-FDA requirements for photostability testing of new drug substances and p roducts. |
| 2      | Capacity       | 100 Liters or higher with the provision of 3 racks. He ight 480 mm or higher, width 560 mm or higher, de pth 400 mm or higher.                                   |
| 3      | Control system | PID/PLC-microprocessor-based control system.   |
| 4      | Light          | A cool white fluorescent lamp (standard D65 illumin ant) of 3 or more are required.  |
| 5      | UV light       | 2 or more UV lamps in the spectral range of 320 – 4<br>00 nm are required.   |
| 6      | Display        | LCD or High-definition TFT color display.  |

| 7  | Chamber housi<br>ng  | The inner chamber is made of SS 316 grade, and the outside is made of SS 304 grade.  |  |
|----|--|--|--|
| 8  | Racks & trays  | Racks & trays made of SS 316 grade with adjustable height for easy operation and 3 or more trays to be provided.   |  |
| 9  | Door   | Single-door made of stainless steel with a "Viewing Window" (of Toughened Glass) for easy inspection a nd viewing of the samples without disturbing the set conditions of the chamber. |  |
| 10 | Audio visual al<br>arm system  | Audio-visual alarm system for power failure, and do or open.   |  |
| 11 | Safety controll<br>er  | Provision of automatic switch off of UV and fluoresce nt light when the door is open.  |  |
| 12 | Data logger  | Data logger for reading UV and LUX hours with print er interface.  |  |
| 13 | Communicatio<br>n  | Wireless/LAN/USB.  |  |
| 14 | Software   | 21 CFR part 11 compliance.   |  |
| 15 | <ul> <li>Branded computer (HP, Dell, or Lenovo) with computer core i7, 2.5 GHz or higher, 8 GB or higher RAM, SSD with 512 GB hard disk or higher, Operating System Windows 13 with genuine latest MS Office. Wireless mouse and keyboard, Monitor: Full HD 21 inch or high er. 4 TB or higher external hard disk for data backup.</li> <li>Laser printer with a print speed of 30 PPM or higher and automatic duplex printing capa bility is required.</li> </ul> |  |  |
| 16 | Certification: US FDA  |  |  |
|    | · Calibration Certificate of the photostability instrument would be provided.  |  |  |
|    | · IQ, OQ, and PQ, certificates with standard operation procedures and maintenance man uals to be provided.   |  |  |
| 17 | Onsite training on handling and operation of the instrument would be provided at the time of installation.   |  |  |
| 18 | Complete equipment should cover a warranty of 5 years.   |  |  |

## 10. Buyer Added Bid Specific ATC

Buyer uploaded ATC document <u>Click here to view the file</u>.

## 11. Warranty

Over and above the normal Warranty terms as per GeM GTC, the successful bidder / OEM shall have to

provide Comprehensive Warranty during the entire Standard warranty period as per contract. : The comprehensive warranty shall be covering the following scope

Five year from the Date of Installation

(Upload an undertaking with the bid confirming compliance by the bidder if Bidder is taking onus of this compliance. In case OEM is taking onus of this compliance, OEM undertaking is to be uploaded along with Bidder undertaking)

#### 12. Warranty

Warranty period of the supplied products shall be 5 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

#### 13. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

#### 14. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process.
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

## This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---