



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5098639
Dated/दिनांक : 27-06-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	08-07-2024 13:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	08-07-2024 13:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	30 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Science And Technology
Department Name/विभाग का नाम	Department Of Scientific And Industrial Research (dsir)
Organisation Name/संगठन का नाम	Council Of Scientific And Industrial Research (csir)
Office Name/कार्यालय का नाम	Central Drug Research Institute
Total Quantity/कुल मात्रा	360
Item Category/मद केटेगरी	Stationary Valve Regulated Lead Acid Batteries As Per IS 15549 (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	20 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	25 Lakh (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid

Bid Details/बिड विवरण

Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	50

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

DIRECTOR

Central Drug Research Institute, Department of Scientific and Industrial Research (DSIR), Council of Scientific and Industrial Research (CSIR), Ministry of Science and Technology, Lucknow -226031
(The Director, Csir-cdri)

Splitting/विभाजन

Bid splitting not applied./बोली विभाजन लागू नहीं किया गया

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st

March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Stationary Valve Regulated Lead Acid Batteries As Per IS 15549 (360 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	ISI Marked	Yes
	Battery Voltage	12 Volt
	Battery Capacity (in Ah) at 10 H Rate	130 Ah
	Material of Container	Polypropylene Co-polymer (PPCP)
CONSTRUCTIONAL	Number of cells per battery	6 Cells for 12 Volt Battery
	Method of connections between cells	Bolted
	Warranty (in Years)	4 Years

Additional Specification Parameters - Stationary Valve Regulated Lead Acid Batteries As Per IS 15549 (360 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
SPECIFICATION	Bidder must comply the specification attached in scope of supply and Text Based ATC. The Technical evaluation shall be done on the basis of text based ATC

Specification Parameter Name	Bid Requirement (Allowed Values)
Eligibility criterial	1. Bidder must submit Bid Securing Declaration as per attached format attached in Bid document (if not submit this declaration alongwith bid. The bid will be summarily rejected) 2. The bidder must be submit attached compliance sheet with proof of document 3. The bidder must be submitted Warranty certificate for 48 months provided by OEM 4. Manufacturer Authorization Form is required in the name of "Director, CDRI, Lucknow." against the mentioned Bid. (Bid Specific)

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanchan Bala	226031,CSIR-Central Drug Research Institute Sector 10, Jankipuram Extension, Sitapur Road,Lucknow 226031, Uttar Pradesh, INDIA	360	15

Buyback Detail

Item Name	Battery
Item Description	12V/130AH SMF Battery
Serial No.	MOQ13031T117567 TO MOQ13028T103672
Model	AR12AL130
Brand	QUANTA
Year of Manufacturing	2019
Purchase On	2019-08-28
Age	
Size	
Rating	
Quantity	360
Unit	each
Remark	The vendor will be responsible for the un-installation and installation of new batteries under Buyback.
Uploaded Image	View Uploaded Image

Disclaimer/अस्वीकरण

The vendor will be responsible for the un-installation of Buyback items.

Special terms and conditions-Version:1 effective from 04-05-2020 for category Stationary Valve Regulated Lead Acid Batteries As Per IS 15549

1. Battery serial number list shall be furnish by the seller along with the supply of the battery to Buyer

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा

जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Generic

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

3. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

The Director, CDRI
payable at
Lucknow

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

4. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

The Director, CDRI, Lucknow
A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with

covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

5. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

6. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Sub.: Specification of 12 V,1 30AH Sealed Maintenance Free(SMF) Lead Acid Batteries with Buyback of Old Batteries

Sl. No.	Technical specification of UPS Battery of with Buyback - 360Nos.:
1	12 Volt, Capacity: 130 AH@20Hours, SMF Service Life: 4-5 Years, Body: Polypropylene Copolymer (PPCP), Length: 447+ /-5mm, Width: 170+ /-2mm, Height: 242+ /-5mm, Weight: 40+ /-2% Kg, Charging setting @27Degree C
2	Battery supply condition- Factory Charged Condition
3	Number of cells per battery-6 Cells for 12 Volt Battery
4	Application of battery- Float
5	Charge setting @ 27 degree C (Boost)- 13.5 Volt
6	Charge setting @ 27 degree C (Float)- 13.8 Volt
7	Warranty- 4 Years
8	Cell joint- Inter cell weld between cells
9	Grid construction- Thicker grid and highest separator compression
10	Wall and impact resistance- Reinforced end wall with improved impact resistance
11	Material of separators-Glass mat
12	Old battery- 12Volt, 130AH, 12AL130 in defective condition of Amaron Quanta make. The seller will collect the old batteries from buyer end / consignee end at their own cost immediately of delivery and installation of new batteries.
Additional Terms & Conditions:	
1	Manufacturer Authorization Form is required in the name of "Director, CDRI, Lucknow." against the mentioned Bid.

2	Warranty – 48 months or more from the date of installation.
3	In case of defect, battery will be replaced within 24 Hours.
4	Warranty certificate for 48 months shall be provided by OEM.
5	Batteries are to be supplied and installed by the supplier in the UPS system. UPS system are in working condition. Payment will be made only after satisfactory working of the UPS system on mains and battery mode.
6	Buy-back (i.e existing/old & defective) batteries are 4½ years old.
7	No additional charges will be given to the buyer for installation and dismantling of old batteries i.e. quoted price is inclusive with the cost of replacement of batteries and making the UPS system functional.
8	IS or BIS latest code of UPS batteries, technical Brochure and all relevant documents / documents should be provided.
9	Batteries should be supplied with latest batch CODE. More than 1 months old batteries will not be accepted.
10	Any transit damage to batteries or any battery damaged during installation shall be vendor's responsibility. Vendor has to replace the damaged battery at his own cost.
11	Existing battery rack should be used for the installation of the new batteries and no extra payment will be made in respect of rack replacement, if required.
12	Reverse Auction in GeM will be followed for procurement & buy-back of batteries.
13	At the time of supply and installation of batteries, manufacturer's warranty certificates are to be provided by the vendor.

7. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

8. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

9. Warranty

Over and above the normal Warranty terms as per GeM GTC, the successful bidder / OEM shall have to provide Comprehensive Warranty during the entire Standard warranty period as per contract. : The comprehensive warranty shall be covering the following scope

4 Years from the date of Warranty

(Upload an undertaking with the bid confirming compliance by the bidder if Bidder is taking onus of this compliance. In case OEM is taking onus of this compliance, OEM undertaking is to be uploaded along with Bidder undertaking)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---