



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5047308
Dated/दिनांक : 20-06-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	11-07-2024 13:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	11-07-2024 13:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Science And Technology
Department Name/विभाग का नाम	Department Of Scientific And Industrial Research (dsir)
Organisation Name/संगठन का नाम	Council Of Scientific And Industrial Research (csir)
Office Name/कार्यालय का नाम	Central Drug Research Institute
Total Quantity/कुल मात्रा	1
Item Category/मद केटेगरी	Server (Q2)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	38

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

Director

Central Drug Research Institute, Department of Scientific and Industrial Research (DSIR), Council of Scientific and Industrial Research (CSIR), Ministry of Science and Technology
(Director, Csir-cdri, Lucknow)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier

as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

Server (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Processor	Processor Make	Intel
	Number of Cores per Processor	8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 64, 11, 48, 44, 52, 56, 60, 84, 96, 112, 128 Or higher
	Processor Base Frequency (GHz)	2.8, 2.9, 3, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4, 2.85, 2.95, 3.25, 3.55, 3.85, 4.05, 4.1 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Processor Description/ Number	<p>Intel Xeon Gold 6242, Intel Xeon Gold 6244, Intel Xeon Gold 6246, Intel Xeon Platinum 9242, Intel Xeon Platinum 9282, Intel Xeon Silver 4214R, Intel Xeon Gold 6250, Intel Xeon Gold 6256, Intel Xeon Gold 5218R, Intel Xeon Gold 6226R, Intel Xeon Gold 6246R, Intel Xeon Gold 5220R, Intel Xeon Gold 6242R, Intel Xeon Gold 6230R, Intel Xeon Gold 6240R, Intel Xeon Gold 6238R, Intel Xeon Gold 6248R, Intel Xeon Gold 6258R, Intel Xeon Platinum 9221, Intel Xeon Platinum 9222, Intel Xeon Platinum 8380HL, Intel Xeon Platinum 8380H, Intel Xeon Platinum 8376HL, Intel Xeon Platinum 8376H, Intel Xeon Platinum 8360HL, Intel Xeon Platinum 8360H, Intel Xeon Platinum 8354H, Intel Xeon Gold 6348H, Intel Xeon Gold 6330H, Intel Xeon Gold 5320H, Intel Xeon Gold 6328HL, Intel Xeon Gold 6328H, Intel Xeon Platinum 8353H, Intel Xeon Gold 5318H, Intel Xeon Platinum 8356H, Intel Xeon Platinum 8368Q, Intel Xeon Platinum 8380, Intel Xeon Platinum 8368, Intel Xeon Platinum 8360Y, Intel Xeon Platinum 8358, Intel Xeon Platinum 8358P, Intel Xeon Platinum 8352Y, Intel Xeon Platinum 8352V, Intel Xeon Platinum 8352S, Intel Xeon Gold 6348, Intel Xeon Gold 6338, Intel Xeon Gold 6338N, Intel Xeon Gold 6342, Intel Xeon Gold 6330, Intel Xeon Gold 5320, Intel Xeon Gold 6330N, Intel Xeon Gold 6354, Intel Xeon Gold 6346, Intel Xeon Platinum 8362, Intel Xeon Platinum 8352M, Intel Xeon Gold 5318S, Intel Xeon Gold 5318Y, Intel Xeon Gold 6338T, Intel Xeon Gold 5318N, Intel Xeon Silver 4314, Intel Xeon Silver 4310T, 1S Intel Xeon Gold 6210U (27.5M Cache, 20C, 2.5GHz/3.2GHz) 150W, 1S Intel Xeon Gold 6209U (27.5M Cache, 20C, 2.1GHz/2.8GHz) 125W, Intel Xeon Gold 5315Y, Intel Xeon Gold 5317, Intel Xeon Gold 6326, Intel Xeon Silver 4309Y, 1S Intel Xeon Gold 6212U (35.75M Cache, 24C, 2.4GHz/3.1GHz) 165W, Intel Xeon Gold 6212U, Intel Xeon Silver 4309Y, Intel Xeon Gold 5315Y, Intel Xeon Silver 4310T, Intel Xeon Gold 5317, Intel Xeon Silver 4314, Intel Xeon Gold 6326, Intel Xeon Silver 4316, Intel Xeon Gold 5320T, Intel Xeon Gold 5318N, Intel Xeon Gold 5318Y, Intel Xeon Platinum 8352M, Intel Xeon Platinum 8362, Intel Xeon Platinum 8490H, Intel Xeon Platinum 8480+, Intel Xeon Platinum 8470, Intel Xeon Platinum 8468, Intel Xeon Platinum 8470Q, Intel Xeon Platinum 8468H, Intel Xeon Platinum 8470N, Intel Xeon Platinum 8468V, Intel Xeon Platinum 8458P, Intel Xeon MAX 9480, Intel Xeon MAX 9470, Intel Xeon Platinum 8460H, Intel Xeon MAX 9468, Intel Xeon Platinum 8460Y+, Intel Xeon Gold 6458Q, Intel Xeon MAX 9460, Intel Xeon Platinum 8462Y+, Intel Xeon Gold 6448H, Intel Xeon MAX 9462, Intel Xeon Gold 6448Y, Intel Xeon Gold 6454S, Intel Xeon Platinum 8454H, Intel Xeon Gold 6438Y+, Intel Xeon Gold 6438M, Intel Xeon Gold 6438N, Intel Xeon Gold 6430, Intel Xeon Gold 6442Y, Intel Xeon Gold 6428N, Intel Xeon Platinum 8450H, Intel Xeon Gold 5420+, Intel Xeon Gold 6418H, Intel Xeon Gold 5418Y, Intel Xeon Gold 6444Y, Intel Xeon Gold 5418N, Intel Xeon Silver 4416+, Intel Xeon Gold 6416H, Intel Xeon Platinum 8444H, Intel Xeon Gold 6426Y, Intel Xeon Gold 5416S,</p>

Specification	Specification Name/विशिष्ट का नाम	Intel Xeon Silver 4410Y, Intel Xeon Silver 4410T, Intel Xeon Gold 6434H, Intel Xeon Gold 6434, Intel Xeon Gold 5415+ Or higher (Allowed Values)/अनुमत मूल्य
Motherboard	Maximum number of Sockets available on Server	2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher
	Maximum number of Sockets populated with Processors available on Server	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher
Co Processor / GPU	Availability of Co Processor /GPU	Yes Or higher
	If Yes, Co Processor /GPU Description	NVIDIA Tesla V100 SXM2 32GB, NVIDIA(R) Tesla(TM) T4 16GB, NVIDIA Tesla M10 Quad GPU Module, NVIDIA Quadro P6000 Graphics Accelerator, NVIDIA Quadro P4000 Graphics Accelerator, NVIDIA Tesla P40 24GB Computational Accelerator, NVIDIA Quadro RTX 6000 Graphics Accelerator, NVIDIA Tesla T4 16GB Computational Accelerator, NVIDIA Quadro RTX 4000 Graphics Accelerator, NVIDIA Quadro RTX 8000 Graphics Accelerator, NVIDIA Quadro P2200 Graphics Accelerator, NVIDIA Tesla V100S 32GB Computational Accelerator, NVIDIA Quadro RTX 5000 16GB Graphics Accelerator, NVIDIA Tesla A100 40GB PCIe based Accelerator, NVIDIA Tesla A100 40GB NVlink based Accelerator Or higher
Memory	Type of RAM	DDR4 SDRAM with ECC
	DDR SDRAM Size(GB)	16.0 - 6144.0 Or higher
SSD Storage	Type of Interface for SSD	SATA
HDD Storage	Type of Interface for Hard Disk Drive	NL SAS
RAID	No of RAID Controller Ports	8 Or higher
	Speed of RAID Controller Ports (Gbps)	12 Or higher
Ports & Interfaces	Number of Networking Interface Cards (LAN)	2, 3, 4, 5, 6, 7, 8, 1 Or higher
	Total Number of Ethernet Ports required in Server	4x1G
	Number of Single port FC HBA card	0, 1, 2, 3, 4 Or higher
	Number of Dual port FC HBA card	0, 1, 2, 3, 4 Or higher
	Number of Quad port FC HBA card	0, 1, 2, 3, 4 Or higher
	FC HBA Speed (Gbps)	8, 16, 32, NA Or higher
	Number of Converged Network Adaptor (CNA)	0, 1, 2, 3, 4 Or higher
	Number of Ports per CNA card	Dual Port, Quad Port, NA Or higher
	CNA Port Speed (Gbps)	10, 25, 40, 50, 100, 200, 0 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Length of LC-LC Cable per SFP+ Port (meter)	5, 10, 15, 0 Or higher
	Length of LC-LC Cable per HBA Port (meter)	5, 10, 15, 0 Or higher
	Length of LC-LC Cable per CNA Port (meter)	5, 10, 15, 0 Or higher
Certifications	Certifications/Compliance (OS)	Windows, Red Hat Linux, Suse Linux, Ubuntu
Features	Management Features-1	Remoter power On/ Shutdown of server,, Remote Management of Server over LAN & WAN with SSL encryption through gigabit management port,, Should have virtual Media support with all required licenses., Remote KVM, Server Health Logging, Out of Band Management
	Security Features-1	Secure Boot(Firmware and Bios Level Security), Provision to lock the system on breach, Hardware root of trust/Dual Root of Trust, Server should provide policy based security, Server should provide server intrusion detection,, "Malicious Code Free design" (to be certified by OEM)
Generic	Power Supply Efficiency	Platinum, Titanium, Bronze Or higher
Warranty	On Site OEM Warranty (Year)	3, 4, 5, 7 Or higher

Additional Specification Parameters - Server (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Specification	The evaluation shall be done on the basis of attached text based specifications in Buyer Added Bid Specific ATC. Bidder must comply with the specification given in the Buyer Added Bid Specific ATC. Bidders should submit the compliance sheet with reference to specification given in the Buyer Added Bid Specific ATC along with their OEM Brochure.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kanchan Bala	226031,CSIR-Central Drug Research Institute Sector 10, Jankipuram Extension, Sitapur Road,Lucknow 226031, Uttar Pradesh, INDIA	1	45

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

3. Warranty

Warranty period of the supplied products shall be 3 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

4. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

5. Generic

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

6. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

7. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

8. Buyer Added Bid Specific ATC

Technical Specification of RACK Sever

Chipset	Lewisburg PCH Intel C6XX Series
Form Factor	Max. 1U rack form factor with sliding rails with 27 U RACK 800MMx1000MM
Configured CPU	Dual Intel Xeon Silver 4309Y 2.8G, 8C/16T, 10.4GT/s, 12M Cache, Turbo, HT (105W)
Memory slots	32 DDR4 DIMM slots, supports RDIMM 2 TB max or LRDIMM 4 TB max, speeds up to 3200 MT/s
Memory configured	64GB RDIMM, 3200MT/s
Disks supported	2.5" Chassis with up to 8 Hard Drives (SAS/SATA),
RAID Controller	12Gbps PCIe 3.0 with RAID 1, 5, 6,10, 50 with 8GB NV Cache from same OEM
GPU	NVIDIA Ampere A2, PCIe, 60W, 16GB Passive, Single Wide , GPU
Disks configured	2 * 960GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 1 DWPD
I/O slots	2 x16 Slots, SW GPU Capable
Network Interface	On-Board LOM 1 x Dual port 1GbE NIC card
Certification and compliances	Microsoft Windows Server, Hyper-V, VMWare, Red Hat Enterprise Linux (RHEL), SUSE Linux Enterprise Server (SLES)
Power Supply	Platinum rated redundant Power Supply
Management integration	Support for integration with Microsoft System Center, VMware vCenter
Power & temperature	Real-time power meter, graphing, thresholds, alerts & capping with historical power counters. Temperature monitoring & graphing
Pre-failure alert	Should provide predictive failure monitoring & proactive alerts of actual or impending component failure for fan, power supply, memory, CPU, RAID, NIC, HDD
Configuration & management	<ul style="list-style-type: none"> • Real-time out-of-band hardware performance monitoring & alerting • Agent-free monitoring, driver updates & configuration, power monitoring & capping, RAID management, external storage management, monitoring of FC, HBA & CNA & system health • Out-of-band hardware & firmware inventory • Zero-touch auto configuration to auto deploy a baseline server configuration profile

Management (continued)	<ul style="list-style-type: none"> • Automated hardware configuration and Operating System deployment to multiple servers • Zero-touch repository manager and self-updating firmware system • Virtual IO management / stateless computing • Support for Redfish API for simple and secure management of scalable platform hardware • Server management software should support upto 8000 devices in a single instance
HTML5 support	HTML5 support for virtual console & virtual media without using Java or ActiveX plugins
Server security	Should have a cyber resilient architecture for a hardened server design for protection, detection & recovery from cyber attacks
	Should protect against firmware which executes before the OS boots
	Should provide effective protection, reliable detection & rapid recovery using: <ul style="list-style-type: none"> - Silicon-based Hardware Root of Trust - Signed firmware updates - Secure default passwords - Configuration and firmware drift detection - Persistent event logging including user activity - Secure alerting - Automatic BIOS recovery - Rapid OS recovery - System erase
	Configuration upgrades should be only with cryptographically signed firmware and software
	Should provide system lockdown feature to prevent change (or "drift") in system firmware image(s) & prevent malicious modification of server firmware
Benchmarks	<p>SPEC int_rate_base 2017 for the product (must be available on SPEC dot ORG before evaluation)- 130 or better</p> <p>SPEC fp_rate_2017 for the product (must be available on SPEC dot ORG before evaluation)- 150 or better</p> <p>SPEC int_speed_base 2017 for the product (must be available on SPEC dot ORG before evaluation)- 10 or better</p> <p>SPEC fp_speed_2017 for the product (must be available on SPEC dot ORG before evaluation)- 100 or better</p>
Intrusion alert	Intrusion alert in case chassis cover being opened
Display panel	Should display system ID, status information and system error code followed by descriptive text. Display background should light up in different colours during normal system operation & error conditions.

Warranty	3 years On-site comprehensive warranty Next Business Day with 24x7x365 Remote hardware support. 3-year product warranty and specification should reflect in the support web site of the OEM using machine serial no. URL must be submitted.
ATC	Wherever Authorized bidders are submitting the bid, Tender Specific Manufacturer's Authorization Form (MAF) with date and OEM details such as name, designation, address, e-mail Id required to be furnished alongwith the bid. It is mandatory to submit MAF for each item quoted. The institute may verify the same with the issuer of the MAF at any point during the Bid Evaluation.
	Country Of Origin Should be India, Local content declaration required on Manufacturer letter head with bid no.
	The Bidder / OEM must have its own dedicated toll Free Telephone No. for service support.
	Datasheets of the product(s) offered in the bid are to be uploaded along with the bid documents. Buyers can match and verify the Datasheets with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.
	Service/ Support escalation matrix must be enclosed
	Note: If Bid Securing Declaration (Annexure-D) is not submitted, Bid will be rejected summarily. Make in India Form as attached also must be submitted.

9. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.

6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---